EXECUTIVE SUMMARY - ENFORCEMENT MATTER DOCKET NO.: 2007-1826-PWS-E TCEQ ID: RN103108452 CASE NO.: 34937 RESPONDENT NAME: HANK CANTU DBA HILLS OF TEXAS BULK WATER

ORDER TYPE:					
_1660 AGREED ORDER	FINDINGS AGREED ORDER	FINDINGS ORDER FOLLOWING SOAH HEARING			
X_FINDINGS DEFAULT ORDER	_SHUTDOWN ORDER	_IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER			
AMENDED ORDER	EMERGENCY ORDER	·			
CASE TYPE:					
AIR	MULTI-MEDIA (check all that apply)	INDUSTRIAL AND HAZARDOUS WASTE			
X PUBLIC WATER SUPPLY	PETROLEUM STORAGE TANKS	OCCUPATIONAL CERTIFICATION			
WATER QUALITY	SEWAGE SLUDGE	UNDERGROUND INJECTION CONTROL			
MUNICIPAL SOLID WASTE	RADIOACTIVE WASTE	DRY CLEANER REGISTRATION			
SITE WHERE VIOLATION(S) OCCURRED: 414 Gregg Dr., Spicewood, Burnet County TYPE OF OPERATION: Public water system SMALL BUSINESS:X_YesNo OTHER SIGNIFICANT MATTERS: There are no complaints. There is no record of additional pending enforcement actions regarding this facility location. INTERESTED PARTIES: No one other than the ED and the Respondent has expressed an interest in this matter. COMMENTS RECEIVED: The Texas Register comment period expired on August 25, 2008. No comments were received. CONTACTS AND MAILING LIST: TCEQ Attorney: Ms. Laurencia Fasoyiro, Litigation Division, MC R-12, (713) 422-8914 Ms. Lena Roberts, Litigation Division, MC 175, (512) 239-0019 TCEQ Enforcement Coordinator: Ms. Suzanne Walrath, Water Enforcement Section, MC 219, (512) 239-2134 TCEQ Regional Contact: Ms. Carolyn Runyon, Austin Regional Office, MC R-11, (512) 239-2929 Respondent: Mr. Hank Cantu, Owner, Hills of Texas Bulk Water, P.O. Box 564, Spicewood, TX 78669 Respondent's Attorney: Not represented by counsel on this enforcement matter.					

RESPONDENT NAME: HANK CANTU DBA HILLS OF TEXAS BULK WATER

DOCKET NO.: 2007-1826-PWS-E

VIOLATION SUMMARY CHART:					
VIOLATION INFORMATION	PENALTY CONSIDERATIONS	CORRECTIVE ACTIONS TAKEN/REQUIRED			
Type of Investigation:	Total Assessed: \$3,640	Ordering Provisions:			
Complaint _X Routine Enforcement Follow-up Records Review	Total Deferred: \$0Expedited OrderFinancial Inability to PaySEP Conditional Offset	The Respondent shall: 1. Immediately: a. Begin collecting and submitting monthly			
Date of Complaint Relating to this Case: N/A	Total Due to General Revenue: \$3,640 This is a Default Order. The Respondent has	water samples, at a frequency based on population served by the system for bacteriological analysis; and			
Date of Investigation Relating to this Case: September 1, 2007	not actually paid any of the assessed penalty but will be required to do so under the terms of this proposed Order.	b. Begin posting public notice indicating when sampling is not conducted.			
Date of NOE Relating to this Case: October 9, 2007	Site Compliance History Classification N/A	2. Within 45 days, submit documentation certifying compliance with Ordering Provision No. 1.			
Background Facts: The EDPRP was filed on May 8, 2008, and mailed to the Respondent via certified mail, return receipt requested, and via first class mail, postage prepaid.	Person Compliance History Classification N/A				
The United States Postal Service returned the wrapper sent by certified mail as "unclaimed." The first class mail has not been returned,	Major Source: Yes X No Applicable Penalty Policy: September 1, 2002				
indicating that the Respondent received notice of the EDPRP. The Respondent has failed to answer the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.	Tapparenti i chang x casgo copromiser 1, 2002				
Current Compliance Status: The Respondent has not completed any of the Ordering Provisions since the default.					
PWS:					
Failed to collect any routine water samples for bacteriological analysis for the months of December 2006, January, February, March, April, June, July, and August, 2007, and failed to post the public notices of failure to conduct these samples [30 Tex. ADMIN. Code §§ 290.109(c)(2) and 290.122(c)(2) and Tex. Health & Safety Code § 341.033(d)].					
·					
	·				

Thus, and the same of the same	Penalt	y Calculation	on Work	sheet (P	CW)	
Policy Revision 2 (Sep	tember 2002)				PCW Revision N	lovember 6, 2007
TCEQ	5 Nov 2007	The Control of the State of the	er englig del de celul de		dalam di Salami de desirat da de	tu to a thomas water
DATES Assigned PCW		ning 8-Nov-2007	EPA Due			
RESPONDENT/FACILITY	INFORMATION Hank Cantu dba Hills o	f Tayas Bulk Water				
Respondent Reg. Ent. Ref. No.		i Texas Duik Water				_
Facility/Site Region			Major	/Minor Source	Minor	
	-		2 m 1. m + 0.0 (1.11.6)		- 1478 Septim 25 (55 The Call Says 1. Anno 1.	
CASE INFORMATION Enf./Case ID No.	34037	<u>i jakikish keshil</u>	7 No	o, of Violations	11	
	2007-1826-PWS-E		-	Order Type		
	Public Water Supply		_ En	f. Coordinator	Libby Hogue	
Multi-Media			04.000	EC's Team	Enforcement Team 3	
Admin. Penalty \$ I	_imit Minimum \$5	Maximum	\$1,000			
	De	nalty Calcul	ation Sec	etion		
Karana maratka ili maramili daril ikwa shiriki isa isasi sasi				70011	esteration of the second	
TOTAL BASE PENAL	TY (Sum of violati	on base penalti	les)		Subtotal 1	\$2,000
ADJUSTMENTS (+/-)	TO SUBTOTAL 1	A CONTRACTOR				
Subtotals 2-7 are obtain	ned by multiplying the Total Ba	the engine of the first of the contract of the second		a read of the control	enderske produktion og storet en	- 1924 - 122 - 24 HEREEN
Compliance Histo	ory	42%	6 Enhancement	Subt	otals 2, 3, & 7	\$840
/ Notes	A 42% enhancement is					٠,
	or similar viola	itions, and one NOV	/ for other viola	ations.		
Culpability	No S		6 Enhancement		Subtotal 4	\$0
Culpability	140	<u>. (0.7)</u>	o Elinancement			ΨΟ
Notes	The Responde	ent does not meet th	ne culpability c	riteria.		
	·		<u> </u>	<u> </u>		
Good Faith Effor	the contract of the contract o	. 0%	State of the state		Subtotal 5	. \$0
Extraordinary	Before NOV NOV to	EDPRP/Settlement Offer	F			
Ordinary					•	***************************************
N/A	X (mark wit	h x)			-	
Notes	The Responde	ent does not meet th	ne good faith c	riteria		-
Noted						Water
		0%	6 Enhancement*	grey 427.4364	Subtotal 6	\$0
a 12 mile dan aktionia a mila kita aktioniani (m. 1921). A si si sa	Total EB Amounts \$55	9 *Cappe	d at the Total EB	\$ Amount		•
Арргох.	Cost of Compliance \$80	0				
SUM OF SUBTOTALS	S 1-7			F	inal Subtotal	\$2,840
Bergin Maria Maria Maria da Maria da Maria de Cara de	and the Character State of State Care Con-	and the angle and the second state of the	1. 201 - 2 11 - 1 12 - 2 2 2 2 2 2 2 2 2 2 2	-	Ann. The Control Assessment	
OTHER FACTORS AS			28%		Adjustment	\$800
Reduces or enhances the Final S	ubtotal by the indicated percer	ntage.		erra, in the	· 	
Notes	Recommend an upwa			o the avoided	1	
110.00		costs of \$800.	•			l l
			e **	Final Per	nalty Amount	\$3,640
		no protograd establicano de 1900.	er fra Herrick (kozaj samba	e incor <u>o o o</u> constitues rensistas		20.040
STATUTORY LIMIT A	DJUSTMENT	harist de la	经法的特别	Final Asse	ssed Penalty	\$3,640
DEFERRAL	ing the state of t		0%	Reduction	Adjustment	\$0
Reduces the Final Assessed Pen	alty by the indicted percentage	a. (Enter number only; e.		I was a second of the second	Aujustinetit	Ψυ
Notes	No deferral	is recommended for	r Findings Ord	ers.		arrante de la constante de la
DAMADLE DENALTY				Y BUTTON KAN - JOS		\$2.640

Screening Date 8-Nov-2007

Docket No. 2007-1826-PWS-E

PCW

Respondent Hank Cantu dba Hills of Texas Bulk Water

Case ID No. 34937

Reg. Ent. Reference No. RN103108452

Media [Statute] Public Water Supply

Enf. Coordinator Libby Hogue

Policy Revision 2 (September 2002) PCW Revision November 6, 2007

Compliance History Worksheet

	Number of	nter Number Here	_Adjust.	1
NOVs	Written NOVs with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	8	40%	
	Other written NOVs	1	2%	
	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	0	0%	
Orders	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%	
Judgments	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting criteria)	0	0%	
and Conser Decrees	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%	
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%	
Emissions	Chronic excessive emissions events (number of events)	0	0%	
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%	
7.65%	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%	``
L	Pleas	se Enter Yes or No		
	Environmental management systems in place for one year or more	No	0%	
Other	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%	
Cirio	Participation in a voluntary pollution reduction program	No	0%	
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%	
	Adjustment Po	ercentage (Su	btotal 2)	42
Repeat Violator (S	ubtotal 3)			
N	A Adjustment Po	ercentage (Su	btotal 3) [0
ompliance Histo	y Person Classification (Subtotal 7)			ALS I
	Adjustment Po	ercentage (Su	btotal 7)	0'
N	The second secon			
	y Summary	autoriorista (n. 1864).	eriore e a como en	
L		and one NOV		

Screening D	Date 8-Nov-2007	Docket No. 2007-1826-PWS-E	PCW
Respond	lent Hank Cantu d	ba Hills of Texas Bulk Water	Policy Revision 2 (September 2002)
and the second s	No. 34937		PCW Revision November 6, 2007
Reg. Ent. Reference			
	ute] Public Water	Supply	
	ator Libby Hogue		
Violation Nur	nber 1		
Rule Ci	te(s)	30 Tex. Admin. Code §§ 290.109(c)(2) and 290.122(c)(2),	
		and Tex. Health & Safety Code § 341.033(d)	
Violation Descrip	of December and faile	ect any routine water samples for bacteriological analysis for the er 2006, January, February, March, April, June, July and August o d to post the public notices of failure to conduct these samplings d during a record review investigation conducted on September 1	of 2007 , as
		Base	Penalty \$1,000
			·
>> Environmental, Prope	rty and Human	Health Matrix Harm	
Rel	ease Major	Moderate Minor	
OR A	ctual		
Pote	ential x[Percent 25%	
>>Programmatic Matrix Falsifica	ition Major	Moderate Minor	
i alonioc	Major	Percent 0%	Terreno
A Company of the Comp	a de la manuella de la composición del composición de la composici	undetected contaminants that exceed levels that are protective	of human
Matrix Failure to	o sample may allow alth or environment	al receptors being distributed to the public for human consumption	on.
18. (A. 14.)			· .
		Adjustment	\$750
	proprosedent (EVL) markerbisc		
			\$250
Violation Events			
govi, got af convenient provident a service con a consequence en el est un el est en el est en el est en el est	-5) (:-1-4: F	Alumber of violation days	
Number	of Violation Events	8 212 Number of violation days	,
	daily		
•	monthly	X	
mark only	TO A RESIDENCE TO BE A SECONDARY OF THE	Violation Base	Penalty \$2,000
with an	a minimizara di Kal		
	:= annual single event		
	Single event		
		Eight monthly events are recommended.	
<u></u>			
Economic Benefit (EB) fo	r this violation	Statutory Limit Tes	
Estin	nated EB Amount[\$559 Violation Final Pena	Ity Total \$3,640
		This violation Final Assessed Penalty (adjusted fo	or limits) \$3,640
		This violation i mai Assessed Femaly (adjusted to	φο,040

	E	conomic	Benefit W	orks	sheet		
Respondent	grant with winders.	a Hills of Texas Bu	The control of the co	- Marie 1901 and	Tyra i syfyyr ailig sga araw 194	an i Mga Ming Milaan sat wagi alay ka sira a 190	
Case ID No	34937						
Reg. Ent. Reference No.	RN103108452						
Media	Public Water S	upply ,				Percent Interest	Years of
Violation No.	1					r ercent interest	Depreciation
						5.0	15
되는 영화를 들는 생기가 되는 이 목숨을	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
		Date Required					
Item Description	No commas or \$		fred the control of the following	7178 A.	such Mateur Chicago (2)		Hidebal Waladi
والأواد والمنظوم الأراد والإساس والمراد والمراد والماسي	overster in the second	.s. ea. e. j.t. aj e	ang garang sawang.	A67:02 FL 5-6:	growy i krawo więcjus i G	againt Airtheag (W.C.SA)	mmakka e kepada ding
Delayed Costs		8		7 0.0	\$0	I \$ 0 I	\$0
Equipment Buildings				1 0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$0
Engineering/construction				0.0	\$0	\$0	\$0
Land				0.0	\$0	n/a	\$0
Record Keeping System				0.0	\$0	- in/a	\$0
Training/Sampling				0.0	\$0	in Awn/a Physics	\$0
Remediation/Disposal			*.	0.0	\$0	i salain/a a lia	\$0
Permit Costs				0.0	\$0	n/a	\$0
Other (as needed)				0.0	. \$0	in/a	\$0
Notes for DELAYED costs							
Notes for DELAYED COSts							, , , <u> </u>
•							i
Avoided Costs	ANN	UALIZE [1] avoid	led costs before e	ntering	item (except for	one-time avoided c	osts)
Disposal				0.0	\$0	\$0	\$0
Personnel				0.0	\$0	\$0	\$0
Inspection/Reporting/Sampling	\$800	31-Dec-2006	31-Aug-2007	0.7	\$27	\$533	\$559
Supplies/equipment	1.1 ¹		and the same of th	0.0	\$0	\$0	\$0
Financial Assurance [2]		1 1 1 1 1 1 1 1 1 1	10.850	0.0	\$0	\$0	\$0
ONE-TIME avoided costs [3]				0.0	\$0	\$0	\$0
Other (as needed)	<u> </u>	112 ** 3.4		0.0	\$0	\$0	\$0
***	Estimated see	+ /\$100 for each r	month that camples	were n	ot taken) to condu	ct routine bacteriolo	gical sampling
Notes for AVOIDED costs						pling was not perfor	
4. Notes for AVOIDED COSTS	and to post pt	TOUCHOUSE OF MISH			sample not taken.	rhinia waa nor henoi	micu, me imai
	li .	*	cate is the date	1101056	semple not reven.		
•							

Approx. Cost of Compliance		\$800	<u> </u>		TOTAL		\$559

Compliance History CANTU, HANK Customer/Respondent/Owner-Operator: CN601643067 Classification: Rating: Regulated Entity: RN103108452 HILLS OF TEXAS BULK WATER Classification: Site Rating: ID Number(s): PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 0270128 414 GREGG DRIVE, SPICEWOOD, TEXAS 78669 Location: TCEQ Region: **REGION 11 - AUSTIN** Date Compliance History Prepared: November 08, 2007 Agency Decision Requiring Compliance History: Enforcement November 05, 2002 to November 05, 2007 Compliance Period: TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History Phone: 512-239-1165 Libby Hogue Name: Site Compliance History Components 1. Has the site been in existence and/or operation for the full five year compliance period? No 2. Has there been a (known) change in ownership of the site during the compliance period? No N/A 3. If Yes, who is the current owner? 4. if Yes, who was/were the prior owner(s)? N/A 5. When did the change(s) in ownership occur? N/A Components (Multimedia) for the Site: Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government. Any criminal convictions of the state of Texas and the federal government. В. C. Chronic excessive emissions events. D. The approval dates of investigations. (CCEDS Inv. Track. No.) 1 01/26/2007 (598113)

2 02/21/2007 (599078) 3 03/29/2007 (599092) 4 04/25/2007 (599105) 5 05/25/2007 (599141) 6 07/30/2007 (599141)

7 09/10/2007 (599148)

8 10/03/2007 (594377) 9 10/09/2007 (599480)

0 11/01/2007 (500775)

10 11/01/2007 (599775)

Written notices of violations (NOV). (CCEDS Inv. Track. No.)

Date: 01/26/2007 (598113)

Self Report? NO

Classification:

Moderate

Citation:

E.

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

12/2006 - Failure to collect any routine monitoring sample(s) for 12/2006.

Self Report? No

Classification: Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Description:

Self Report?

12/2006 - Failure to post PN for not collecting any routine monitoring sample(s) in

12/2006.

Date: 02/21/2007

(599078)

Classification: Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

01/2007 - Failure to collect any routine monitoring sample(s) for 01/2007.

Self Report?

NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Description:

01/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

01/2007.

Date 03/29/2007

(599092)

Self Report? N

(0000

.,,

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Citation: Description:

02/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

02/2007.

Self Report? NO

Classification:

Classification:

Moderate

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

02/2007 - Failure to collect any routine monitoring sample(s) for 02/2007

Date 04/25/2007

(599105)

Self Report? NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

03/2007- Failure to collect any routine monitoring sample(s) for 03/2007.

Self Report? NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290,122(c)(2)(B)

Description:

03/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

03/2007.

Date 05/25/2007

(599114)

Self Report? NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

04/2007 - Failure to collect any routine monitoring sample(s) for 04/2007.

Self Report? NO

Classification: Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Description:

04/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

04/2007.

NO

Date 07/30/2007

(599141)

Self Report?

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Citation: Description:

06/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

06/2007.

Self Report? NO

Classification:

Classification:

Moderate

Moderate

.

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

Citation:

06/2007 - Failure to collect any routine monitoring sample(s) for 06/2007.

Date 09/10/2007

(599148)

Self Report? NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

07/2007 - Failure to collect any routine monitoring sample(s) for 07/2007.

Self Report? NO

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Description:

07/2007 - Failure to post PN for not collecting any routine monitoring sample(s) in

07/2007.

10/05/2007 (594377)Date

Self Report?

Classification: -

Minor

Citation:

30 TAC Chapter 290, SubChapter D 290.44(i)(2)(L)

Description:

Failure to provide a monthly record of microbiological sampling results.

Date 10/09/2007

(599480)

Self Report? NO Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.122(c)(2)(B)

Description:

08/2007 - Failure to post a PN for not collecting any routine monitoring sample(s) in

NO Self Report?

Classification:

Moderate

Citation:

30 TAC Chapter 290, SubChapter F 290.109(c)(2)(A)(i)

Description:

08/2007 - Failure to collect any of the routine monthly samples 08/2007.

Environmental audits. F.

. N/A

Type of environmental management systems (EMSs).

Voluntary on-site compliance assessment dates.

Participation in a voluntary pollution reduction program.

N/A

Early compliance.

N/A

Sites Outside of Texas

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF	§	BEFORE THE
AN ENFORCEMENT ACTION	§	
AGAINST HANK CANTU DBA	§	TEXAS COMMISSION ON
HILLS OF TEXAS BULK WATER;	§	
RN103108452	§	ENVIRONMENTAL QUALITY

DEFAULT ORDER DOCKET NO. 2007-1826-PWS-E

At its	agenda, the Texas Commission on Environmental Quality,
("Commission" or "TCEQ")	considered the Executive Director's Preliminary Report and Petition
filed pursuant to TEX. HEALT	H & SAFETY CODE ch. 341 and the rules of the TCEQ, which requests
appropriate relief, including t	he imposition of an administrative penalty and corrective action of the
respondent. The respondent i	made the subject of this Order is Hank Cantu dba Hills of Texas Bulk
Water ("Mr. Cantu").	

The Commission makes the following Findings of Fact and Conclusions of Law:

FINDINGS OF FACT

- 1. Mr. Cantu owns and operates public water system located at 414 Gregg Dr, Spicewood, Burnet County, Texas (the "Facility").
- 2. The Facility has one service connection; serves at least 25 people per day for at least 60 days per year; and provides water for human consumption. As such, the Facility is a public water system as defined in 30 Tex. ADMIN CODE § 290.38(63).
- 3. During a record review conducted on September 1, 2007, a TCEQ investigator documented that Mr. Cantu failed to collect any routine water samples for bacteriological analysis for the months of December 2006, January, February, March, April, June, July, and August of 2007 and failed to post the public notices of failure to conduct these samples.
- 4. Mr. Cantu received notice of the violation on or about October 14, 2007.
- 5. The Executive Director filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement

- Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Hank Cantu dba Hills of Texas Bulk Water" (the "EDPRP") in the TCEQ Chief Clerk's office on May 8, 2008.
- 6. By letter dated May 8, 2008, sent via certified mail, return receipt requested, and via first class mail, postage prepaid, the Executive Director served Mr. Cantu with notice of the EDPRP. The United States Postal Service returned the wrapper sent by certified mail as "unclaimed". The first class mail has not been returned, indicating that Mr. Cantu received notice of the EDPRP.
- 7. More than 20 days have elapsed since Mr. Cantu received notice of the EDPRP, provided by the Executive Director. Mr. Cantu failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference.

CONCLUSIONS OF LAW

- 1. As evidenced by Finding of Fact Nos. 1 and 2, Mr. Cantu is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.
- 2. As evidenced by Finding of Fact No. 3, Mr. Cantu failed to collect any routine water samples for bacteriological analysis for the months of December 2006, January, February, March, April, June, July, and August of 2007 and failed to post the public notices of failure to conduct these samples, in violation of 30 Tex. ADMIN. CODE §§ 290.109(c)(2) and 290.122(c)(2) and Tex. Health & Safety Code § 341.033(d).
- 3. As evidenced by Finding of Fact Nos. 5 and 6, the Executive Director has timely served Mr. Cantu with proper notice of the EDPRP, as required by Tex. WATER CODE § 7.055 and 30 Tex. Admin. Code § 70.104(c)(2).
- 4. As evidenced by Finding of Fact No. 6, Mr. Cantu has failed to file a timely answer to the EDPRP, as required by Tex. Health & Safety Code § 341.049 and 30 Tex. Admin. Code § 70.105. Pursuant to Tex. Health & Safety Code § 341.049 and 30 Tex. Admin. Code § 70.106, the Commission may enter a Default Order against Mr. Cantu and assess the penalty recommended by the Executive Director.
- 5. Pursuant to Tex. Health & Safety Code § 341.049, the Commission has the authority to assess an administrative penalty against Mr. Cantu for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of

rules adopted under such statutes; or for violations of orders or permits issued under such statutes.

- 6. An administrative penalty in the amount of three thousand six hundred forty dollars (\$3,640.00) is justified by the facts recited in this Order, and considered in light of the factors set forth in Tex. Health & Safety Code § 341.049(b).
- 7. TEX. WATER CODE §§ 5.102 and 7.002 authorize the Commission to issue orders and make determinations necessary to effectuate the purposes of the statutes within its jurisdiction.

ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. Mr. Cantu is assessed an administrative penalty in the amount of three thousand six hundred forty dollars (\$3,640.00) for violations of Tex. Health & Safety Code ch. 341 and the rules of the TCEQ. The payment of this administrative penalty and Mr. Cantu's compliance with all the terms and conditions set forth in this Order completely resolve the matters set forth by this Order in this action. The Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations which are not raised here. All checks submitted to pay the penalty imposed by this Order shall be made out to the "Texas Commission on Environmental Quality". The administrative penalty assessed by this Order shall be paid within 30 days after the effective date of this Order and shall be sent with the notation "Re: Hank Cantu dba Hills of Texas Bulk Water; Docket No. 2007-1826-PWS-E" to:

Financial Administration Division, Revenues Section Attention: Cashier's Office, MC 214 Texas Commission on Environmental Quality P.O. Box 13088 Austin, Texas 78711-3088

- 2. Mr. Cantu shall undertake the following technical requirements:
 - a. Immediately upon the effective date of this Order, Mr. Cantu shall begin collecting and submitting monthly water samples, at a frequency based on population served by the system, for bacteriological analysis, as required by 30 Tex. Admin. Code § 290.109;

- b. Immediately upon the effective date of this Order, Mr. Cantu shall begin posting public notice indicating when sampling was not conducted, as required by 30 Tex. ADMIN. CODE § 290.122; and
- c. Within 45 days after the effective date of this Order, Mr. Cantu shall submit written certification of compliance with Ordering Provisions 2.a. and 2.b. as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with copies to:

Carolyn Runyon Austin Regional Office Texas Commission on Environmental Quality 2800 South Interstate Highway 35, Suite 100 Austin, Texas 78704-5712

and

Water Supply Division PDWS-MC 155 Texas Commission on Environmental Quality P.O. Box 13087

Austin, Texas 78711-3087

- 3. All relief not expressly granted in this Order is denied.
- 4. The provisions of this Order shall apply to and be binding upon Mr. Cantu. Mr. Cantu is ordered to give notice of this Order to personnel who maintain day-to-day control over the Facility operations referenced in this Order.
- 5. The Executive Director may grant an extension of any deadline in this Order or in any plan, report, or other document submitted pursuant to this Order, upon a written and substantiated showing of good cause. All requests for extensions by Mr. Cantu shall be made in writing to the Executive Director. Extensions are not effective until Mr. Cantu receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
- 6. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to Mr. Cantu if the Executive Director determines that Mr. Cantu has not complied with one or more of the terms or conditions in this Order.
- 7. This Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Order, whichever is later.
- 8. The Chief Clerk shall provide a copy of this Order to each of the parties. By law, the effective date of this Order shall be the date the Order is final, as provided by 30 Tex. ADMIN. CODE § 70.106(d) and Tex. Gov't Code § 2001.144.

Hank Cantu dba Hills of Texas Bulk Water DOCKET NO. 2007-1826-PWS-E Page 6

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

AFFIDAVIT OF PATRICK N. JACKSON

STATE OF TEXAS

COUNTY OF TRAVIS

"My name is Patrick N. Jackson. I am of sound mind, capable of making this affidavit, and the facts stated in this affidavit are within my personal knowledge and are true and correct.

On behalf of the Executive Director of the Texas Commission on Environmental Quality, I filed the "Executive Director's Preliminary Report and Petition Recommending that the Texas Commission on Environmental Quality Enter an Enforcement Order Assessing an Administrative Penalty Against and Requiring Certain Actions of Hank Cantu dba Hills of Texas Bulk Water" (the "EDPRP") with the Office of the Chief Clerk on May 8 2008.

I sent the EDPRP to Mr. Cantu at his last known address on May 8, 2008 via certified mail, return receipt requested, and via first class mail, postage prepaid. The United States Postal Service returned the wrapper sent by certified mail as "unclaimed". The first class mail has not been returned, indicating the respondent received notice of the EDPRP, in accordance with 30 TEX. ADMIN. CODE § 70.104(c)(2).

More than 20 days have elapsed since Mr. Cantu received notice of the EDPRP. Mr. Cantu failed to file an answer to the EDPRP, failed to request a hearing, and failed to schedule a settlement conference".

Patrick N. Jackson

Attorney

Texas Commission on Environmental Quality

Before me, the undersigned authority, on this day personally appeared Patrick N. Jackson, known to me to be the person whose name is subscribed to the foregoing instrument and acknowledged to me that he executed the same for the purposes and consideration herein expressed.

Given under my hand and seal of office this 20th day of July, A.D., 2008.

Notary Stamp

Digna T. Flores Notary Public State of Texas Commission Expires May 09, 2011